UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : 6,776,088 B2 DATED

: August 17, 2004

INVENTOR(S) : Halt et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page, showing the illustrative figure, should be deleted and replaced with the attached title page.

The drawing sheets, consisting of Figs. 1-5, should be deleted and replaced with drawing sheets, consisting of Figs. 1-5, as shown on the attached pages.

Signed and Sealed this

Page 1 of 6

Thirtieth Day of May, 2006

JON W. DUDAS Director of the United States Patent and Trademark Office

(12) United States Patent Halt et al.

(10) Patent No.:

US 6,776,088 B2

(45) Date of Patent:

Aug. 17, 2004

(54) ENVIRONMENTALLY FRIENDLY PERSONAL IDENTIFICATION AND TRACKING SYSTEM

(76) Inventors: Andrew James Halt, 123 E. Third St., Media, PA (US) 19063; Gerald B.

Halt, Jr., 123 E. Third St., Media, PA

(US) 19063

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 35 days.

(21) Appl. No.: 09/886,491

(22) Filed: Jun. 21, 2001

(65) Prior Publication Data

US 2002/0195006 A1 Dec. 26, 2002

((51)	Int.	Cl.7		B41F	17/00:	E01H	4/00
- 1	·			***************************************		1.,00		., ~

37/219, 221, 222, 223, 231, 285

(56) References Cited U.S. PATENT DOCUMENTS

994,971 A	•	6/1911	Beck 101/103
1,707,149 A	٠	3/1929	Stamper 101/119
			Pace 36/136
4,056,328 A	*	11/1977	Maxey 404/96
			Bucgel 305/187
			Dori 172/1

* cited by examiner


Primary Examiner—Daniel J. Colilla Assistant Examiner—Jill E. Culler

(74) Attorney, Agent, or Firm-Volpe and Koenig, P.C.

(57) ABSTRACT

A personal identification and tracking system comprising an impression means for providing a predetermined image upon an impressionable medium and an activation unit for moving the impression means between a first position, where said impression unit is in contact with the impressionable medium, and a second position whereby said impressionable unit is out of contact with said impressionable medium. The system is particularly adaptable to snow, sand or mud.

7 Claims, 4 Drawing Sheets




U.S. Patent

Aug. 17, 2004


Sheet 1 of 4

6,776,088 B2



U.S. Patent Aug. 17, 2004 Sheet 2 of 4


6,776,088 B2



U.S. Patent Aug. 17, 2004

Sheet 3 of 4

6,776,088 B2



U.S. Patent

Aug. 17, 2004 Sheet 4 of 4 6,776,088 B2

